

# Getting Started Instructions for the Access DH Probers

**\*\* Read the Access DH CAUTION SHEET before proceeding with these instructions \*\***

## PC Recommended Requirements

The following recommendations are provided to assist you in purchasing the correct computer system to use with the Huntron Workstation software. These are the recommended minimum computer requirements:

- 3GHz or Faster CPU (2Ghz if multicore)
- Microsoft Windows 10, Windows 11
- DVD drive
- 16GB RAM
- 1024x768 minimum video resolution
- Keyboard and Mouse
- Internet connection
- Available USB 2.0 ports – 2 ports with Tracker and Access Prober combinations

## Installing the Huntron Workstation Software

**NOTE: Install the software before installing or connecting any hardware.**

Uninstall any previous versions of Workstation prior to installing the new version. Insert the Huntron Workstation DVD. The DVD should Autorun and begin the installation process. If your PC has Autorun disabled then open a browser window to the DVD and select WorkstationSetup.exe. This will begin the installation process. Follow the on-screen instructions to proceed to install Workstation.

During the install you will be asked (Yes or No) to install additional software for Access Probers. Select the appropriate response based on your Prober hardware. Follow on-screen prompts to install the additional software.

- Access USB Framer Grabber for Access and Access 2 Probers; Select **NO** for this option
- DFK USB Camera driver installation: selecting **YES** will install the driver software for the DFK cameras used on the Access DH (dual head) Prober. **Power the Access DH ON** for this process.

If you purchased CAD Tools then install using the supplied CD. Follow instructions listed in the CAD Tools Tutorial.

If you are using Workstation in conjunction with a digital multimeter, follow the instructions listed in the Workstation DMM Tutorial.

All of the Workstation tutorials are available on the Huntron web site: [www.huntron.com/sales-support/software.htm](http://www.huntron.com/sales-support/software.htm)

**Do not run the software at this point. The hardware must now be installed to complete the installation.**

## **Power fuses and connecting the Line Voltage**

The power entry module includes the power switch (0 = OFF, 1 = ON), power cord connector and a removable fuse tray which holds the line fuses. To remove the fuse tray, use a small screwdriver to carefully pry the top of the fuse tray outward. The fuses will be visible with the fuse tray pulled out. To replace, push the tray inward until firmly seated.

## **Connecting the Prober USB Interface to the Computer**

Locate the USB cable and connect the correct end to the Prober USB port. Connect the other end to the appropriate USB port on the computer. Also verify that the STOP button cable is connected to the STOP/LIGHT connection on the Access DH rear panel.

## **Connecting an External Tracker to the Access DH**

Using standard BNC cables connect the Common BNC on the Huntron Tracker to the Common BNC on the Access DH back panel. Connect the Channel A BNC on the Huntron Tracker to the Channel A BNC on the Access DH back panel. Connect the Channel B BNC on the Huntron Tracker to the Channel B BNC on the Access DH back panel.

Connect the power cords to the Tracker (as needed) and the Huntron Access DH.

Turn on the Huntron Access DH and any attached Tracker or instruments.

## Installing the Device Drivers

The device drivers below may install in a different order on some PCs than specified below. If so, find and follow the steps below that pertain to the drivers as they are loaded.

**Note for Windows 64bit users:** Some of the device drivers will attempt to auto install and fail. After following the steps below (they may not all occur), open device manager and look for items with yellow exclamation points. Update these drivers by right clicking on them. Select the install DVD for the source of the drivers if needed.

1. Have the Huntron Workstation DVD in your DVD drive. If you have installed the Huntron Workstation Software, you are now ready to install the drivers.
2. The following driver installations may happen in a different order.
3. If prompted to connect to Windows Update Select No, not at this time.
4. An Add New Hardware wizard prompts you to install a “HS-20USB”. Click Next.
5. If the wizard prompts you to search for drivers, select Automatic and click Next.
6. When a message appears, indicating that the driver has not passed Windows Logo testing, click “Continue anyway”. Click Finish.
7. Huntron Access DH with Tracker or External Model 30
  - a. An Add New Hardware wizard prompts you to install a “Huntron Tracker Model 30”. Click Next.
  - b. If prompted to connect to Windows Update Select No, not at this time.
  - c. An Add New Hardware wizard prompts you to install a “Huntron Tracker Model 30”. Click Next.
  - d. If the wizard prompts you to search for drivers, select Automatic and click Next.
  - e. When a message appears, indicating that the driver has not passed Windows Logo testing, click “Continue anyway”. Click Finish.
8. If prompted to connect to Windows Update Select No, not at this time.
9. An Add New Hardware wizard prompts you to install a “USB Serial Port”. Click Next.
10. If the wizard prompts you to search for drivers, select Automatic and click Next.
11. When a message appears, indicating that the driver has not passed Windows Logo testing, click “Continue anyway”. Click Finish.
12. Restart the PC when installations are complete.

Some of the device drivers may have attempted to auto install and failed. Open device manager and look for items with yellow exclamation points. Update these drivers by right clicking on them. Select the install DVD for the source of the drivers if needed.

## Starting Huntron Workstation

A Huntron Workstation icon will be created on your windows desktop. Double click this icon to start the software.

The Huntron Workstation Activation dialog is displayed. This software is only licensed to be used on one Tracker and/or one Prober. The activation codes are generated by Huntron and are specific to the Tracker and Prober serial numbers. The activation codes are printed on the software DVD. If

you cannot find activation codes, call Huntron technical support (425-743-3171) and provide the serial numbers for the Tracker and the Prober.

## **Follow the software tutorial.**

Huntron Workstation software tutorials are included in the software DVD Documents folder and in the default installed folder (C:\Program Files\Huntron Workstation 4.3\Documents).

It is also available in Tutorial section of the Help menu in the Huntron Workstation software. The file requires Adobe Acrobat Reader to be installed. The tutorial will enable a new user to get acquainted with most of the software features.

Whenever you need detailed information, click Help in the appropriate screens. The help feature is context sensitive, so you can click on the green highlighted text to get additional information on related topics.

All user's manuals are located on the Manual CD (06-5217) included in your package. Refer to the appropriate manual for the hardware you have.

If you need further assistance, call the Huntron Technical support at 1-(800)-426-9265 or (425)-743-3171  
email: [info@huntron.com](mailto:info@huntron.com)